

MOLTO LUCE

**BADDO & CADAN**



- Round LED mount pendant
- Direct / indirect light 70/30 emission
- White or matte chrome finish
- Opal diffuser

- Colgante LED redondo de aluminio
- Emisión 70/30 de luz directa / indirecta
- Acabado blanco o plata mate
- Difusor blanco opal

- Suspension tonde à LED en aluminium
- Émission de 70/30 lumière directe / indirecte
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K  
W4 = LED 4000K

IP20    





#### LED PERFORMANCE

**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty

### BADO PDI 16"

LED





SYS 42W • 120-277V AC • CRI >80


|                   |   |              |                            |
|-------------------|---|--------------|----------------------------|
| 220-04401915adusa |  | white        | Ø 15 3/4" • H 3" • 4520 lm |
| 220-04401415adusa |  | white        | Ø 15 3/4" • H 3" • 4630 lm |
| 220-04401918adusa |  | matte chrome | Ø 15 3/4" • H 3" • 4520 lm |
| 220-04401418adusa |  | matte chrome | Ø 15 3/4" • H 3" • 4630 lm |

### BADO PDI 24"

LED

SYS 93W • 120-277V AC • CRI >80





|                   |   |              |                             |
|-------------------|---|--------------|-----------------------------|
| 220-04601915adusa |  | white        | Ø 23 5/8" • H 3" • 10040 lm |
| 220-04601415adusa |  | white        | Ø 23 5/8" • H 3" • 10300 lm |
| 220-04601918adusa |  | matte chrome | Ø 23 5/8" • H 3" • 10040 lm |
| 220-04601418adusa |  | matte chrome | Ø 23 5/8" • H 3" • 10300 lm |



### BADO PDI 38"

LED





SYS 188W • 120-277V AC • CRI >80

|                   |   |              |                                 |
|-------------------|---|--------------|---------------------------------|
| 220-04971915adusa |  | white        | Ø 38 1/4" • H 4 1/2" • 19830 lm |
| 220-04971415adusa |  | white        | Ø 38 1/4" • H 4 1/2" • 20310 lm |
| 220-04971918adusa |  | matte chrome | Ø 38 1/4" • H 4 1/2" • 19830 lm |
| 220-04971418adusa |  | matte chrome | Ø 38 1/4" • H 4 1/2" • 20310 lm |

### BADO PDI 48"

LED

SYS 278W • 120-277V AC • CRI >80

|                    |   |              |                                 |
|--------------------|---|--------------|---------------------------------|
| 220-041201915adusa |  | white        | Ø 47 1/4" • H 4 1/2" • 29930 lm |
| 220-041201415adusa |  | white        | Ø 47 1/4" • H 4 1/2" • 30580 lm |
| 220-041201918adusa |  | matte chrome | Ø 47 1/4" • H 4 1/2" • 29930 lm |
| 220-041201418adusa |  | matte chrome | Ø 47 1/4" • H 4 1/2" • 30580 lm |

PENDANT DIRECT / INDIRECT





- Round LED mount pendant
- Direct light
- White or matte chrome finish
- Opal diffuser

- Colgante LED redondo de aluminio
- Iluminación directo
- Acabado blanco o plata mate
- Difusor blanco opal

- Suspension tonde à LED en aluminium
- Éclairage direct
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K

W4 = LED 4000K

IP20    



#### LED PERFORMANCE



**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty

### BADO PD 16"

LED

SYS 29W • 120-277V AC • CRI >80



220-05401915adusa  white Ø 15 3/4" • H 3" • 2920 lm  
 220-05401415adusa  white Ø 15 3/4" • H 3" • 3000 lm



220-05401918adusa  matte chrome Ø 15 3/4" • H 3" • 2920 lm  
 220-05401418adusa  matte chrome Ø 15 3/4" • H 3" • 3000 lm


### BADO PD 24"

LED

SYS 54W • 120-277V AC • CRI >80

220-05601915adusa  white Ø 23 5/8" • H 3" • 5875 lm  
 220-05601415adusa  white Ø 23 5/8" • H 3" • 6015 lm



220-05601918adusa  matte chrome Ø 23 5/8" • H 3" • 5875 lm  
 220-05601418adusa  matte chrome Ø 23 5/8" • H 3" • 6015 lm





### BADO PD 38"

LED

SYS 110W • 120-277V AC • CRI >80



220-05971915adusa  white Ø 38 1/4" • H 4 1/2" • 11560 lm  
 220-05971415adusa  white Ø 38 1/4" • H 4 1/2" • 11840 lm



220-05971918adusa  matte chrome Ø 38 1/4" • H 4 1/2" • 11560 lm  
 220-05971418adusa  matte chrome Ø 38 1/4" • H 4 1/2" • 11840 lm

### BADO PD 48"

LED

SYS 165W • 120-277V AC • CRI >80

220-051201915adusa  white Ø 47 1/4" • H 4 1/2" • 17330 lm  
 220-051201415adusa  white Ø 47 1/4" • H 4 1/2" • 17700 lm

220-051201918adusa  matte chrome Ø 47 1/4" • H 4 1/2" • 17330 lm  
 220-051201418adusa  matte chrome Ø 47 1/4" • H 4 1/2" • 17700 lm

PENDANT DIRECT



PROJECT: PRIVATE RESIDENCE | AUSTRIA

MOLTO LUCE



- Round LED surface mount luminaire
- Direct / indirect light 70/30 emission
- White or matte chrome finish
- Opal diffuser

- Ronda de LED de montaje superficial luminaria
- Emisión 70/30 de luz directa / indirecta
- Acabado blanco o plata mate
- Difusor blanco opal

- Round LED luminaire montage en surface
- Émission de 70/30 lumière directe / indirecte
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K

W4 = LED 4000K

IP20    


#### LED PERFORMANCE


**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty


### BADO SDI 16"


LED


SYS 42W • 120-277V AC • CRI >80

220-03401915adusa  white Ø 15 3/4" • H 3 1/8" • 4520 lm

220-03401415adusa  white Ø 15 3/4" • H 3 1/8" • 4630 lm

220-03401918adusa  matte chrome Ø 15 3/4" • H 3 1/8" • 4520 lm


220-03401418adusa  matte chrome Ø 15 3/4" • H 3 1/8" • 4630 lm





### BADO SDI 24"


LED

SYS 93W • 120-277V AC • CRI >80

220-03601915adusa  white Ø 23 5/8" • H 3 1/8" • 10040 lm

220-03601415adusa  white Ø 23 5/8" • H 3 1/8" • 10300 lm


220-03601918adusa  matte chrome Ø 23 5/8" • H 3 1/8" • 10040 lm


220-03601418adusa  matte chrome Ø 23 5/8" • H 3 1/8" • 10300 lm


### BADO SDI 38"


LED

SYS 188W • 120-277V AC • CRI >80

220-03971915adusa  white Ø 38 1/4" • H 3 7/8" • 19830 lm

220-03971415adusa  white Ø 38 1/4" • H 3 7/8" • 20310 lm


220-03971918adusa  matte chrome Ø 38 1/4" • H 3 7/8" • 19830 lm


220-03971418adusa  matte chrome Ø 38 1/4" • H 3 7/8" • 20310 lm


### BADO SDI 48"


LED

SYS 278W • 120-277V AC • CRI >80

220-031201915adusa  white Ø 47 1/4" • H 3 7/8" • 29930 lm

220-031201415adusa  white Ø 47 1/4" • H 3 7/8" • 30580 lm

220-031201918adusa  matte chrome Ø 47 1/4" • H 3 7/8" • 29930 lm

220-031201418adusa  matte chrome Ø 47 1/4" • H 3 7/8" • 30580 lm

SURFACE DIRECT/ INDIRECT



PROJECT: ALPINE | TRAUN | AUSTRIA

MOLTO LUCE



- Round LED surface mount luminaire
- Direct light
- White or matte chrome finish
- Opal diffuser

- Ronda de LED de montaje superficial luminaria
- Iluminación directo
- Acabado blanco o plata mate
- Difusor blanco opal

- Round LED luminaire montage en surface
- Éclairage direct
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K  
W4 = LED 4000K

IP20    





#### LED PERFORMANCE


**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty

### BADO SD 16"

LED

SYS 29W • 120-277V AC • CRI >80





|                   |   |              |                            |
|-------------------|---|--------------|----------------------------|
| 220-01401915adusa |  | white        | Ø 15 3/4" • H 3" • 2930 lm |
| 220-01401415adusa |  | white        | Ø 15 3/4" • H 3" • 3000 lm |
| 220-01401918adusa |  | matte chrome | Ø 15 3/4" • H 3" • 2930 lm |
| 220-01401418adusa |  | matte chrome | Ø 15 3/4" • H 3" • 3000 lm |



### BADO SD 24"

LED





SYS 54W • 120-277V AC • CRI >80

|                   |   |              |                            |
|-------------------|---|--------------|----------------------------|
| 220-01601915adusa |  | white        | Ø 23 5/8" • H 3" • 5875 lm |
| 220-01601415adusa |  | white        | Ø 23 5/8" • H 3" • 6015 lm |
| 220-01601918adusa |  | matte chrome | Ø 23 5/8" • H 3" • 5875 lm |
| 220-01601418adusa |  | matte chrome | Ø 23 5/8" • H 3" • 6015 lm |

### BADO SD 38"

LED





SYS 110W • 120-277V AC • CRI >80

|                   |   |              |                                 |
|-------------------|---|--------------|---------------------------------|
| 220-01971915adusa |  | white        | Ø 38 1/4" • H 4 1/2" • 11560 lm |
| 220-01971415adusa |  | white        | Ø 38 1/4" • H 4 1/2" • 11840 lm |
| 220-01971918adusa |  | matte chrome | Ø 38 1/4" • H 4 1/2" • 11560 lm |
| 220-01971418adusa |  | matte chrome | Ø 38 1/4" • H 4 1/2" • 11840 lm |

### BADO SD 48"

LED

SYS 165W • 120-277V AC • CRI >80

|                    |   |              |                                 |
|--------------------|---|--------------|---------------------------------|
| 220-011201915adusa |  | white        | Ø 47 1/4" • H 4 1/2" • 17330 lm |
| 220-011201415adusa |  | white        | Ø 47 1/4" • H 4 1/2" • 17700 lm |
| 220-011201918adusa |  | matte chrome | Ø 47 1/4" • H 4 1/2" • 17330 lm |
| 220-011201418adusa |  | matte chrome | Ø 47 1/4" • H 4 1/2" • 17700 lm |

SURFACE DIRECT







- Square LED mount pendant
- Direct / indirect light 70/30 emission
- White or matte chrome finish
- Opal diffuser

- Colgante LED cuadrado de aluminio
- Emisión 70/30 de luz directa / indirecta
- Acabado blanco o plata mate
- Difusor blanco opal

- Suspension carrée à LED en aluminium
- Émission de 70/30 lumière directe / indirecte
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K

W4 = LED 4000K

IP20    



#### LED PERFORMANCE



**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty


### CADAN PDI 18"

LED

SYS 35W • 120-277V AC • CRI >80

220-09431915adusa  white L 17" • H 3" • 3650 lm  
 220-09431415adusa  white L 17" • H 3" • 3740 lm



220-09431918adusa  matte chrome L 17" • H 3" • 3650 lm  
 220-09431418adusa  matte chrome L 17" • H 3" • 3740 lm





### CADAN PDI 26"

LED

SYS 73W • 120-277V AC • CRI >80



220-0963191ad5usa  white L 24 7/8" • H 3" • 7720 lm  
 220-09631415adusa  white L 24 7/8" • H 3" • 7940 lm



220-09631918adusa  matte chrome L 24 7/8" • H 3" • 7720 lm  
 220-09631418adusa  matte chrome L 24 7/8" • H 3" • 7940 lm

### CADAN PDI 36"

LED

SYS 138W • 120-277V AC • CRI >80



220-09901915adusa  white L 35 1/2" • H 4 1/2" • 14990 lm  
 220-09901415adusa  white L 35 1/2" • H 4 1/2" • 15400 lm



220-09901918adusa  matte chrome L 35 1/2" • H 4 1/2" • 14990 lm  
 220-09901418adusa  matte chrome L 35 1/2" • H 4 1/2" • 15400 lm

### CADAN PDI 48"


LED

SYS 225W • 120-277V AC • CRI >80

220-091201915adusa  white L 47 1/4" • H 4 1/2" • 24540 lm  
 220-091201415adusa  white L 47 1/4" • H 4 1/2" • 25180 lm

220-091201918adusa  matte chrome L 47 1/4" • H 4 1/2" • 24540 lm  
 220-091201418adusa  matte chrome L 47 1/4" • H 4 1/2" • 25180 lm

PENDANT DIRECT / INDIRECT



- Square LED aluminium pendant
- Direct light
- White or matte chrome finish
- Opal diffuser

- Colgante LED cuadrado de aluminio
- Iluminación directo
- Acabado blanco o plata mate
- Difusor blanco opal

- Suspension carrée à LED en aluminium
- Éclairage direct
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K

W4 = LED 4000K

IP20    



#### LED PERFORMANCE



**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty


### CADAN PD 18"

LED

SYS 21W • 120-277V AC • CRI >80

220-10431915adusa  white L 17" • H 3" • 2040 lm  
 220-10431415adusa  white L 17" • H 3" • 2090 lm



220-10431918adusa  matte chrome L 17" • H 3" • 2040 lm  
 220-10431418adusa  matte chrome L 17" • H 3" • 2090 lm





### CADAN PD 26"

LED

SYS 45W • 120-277V AC • CRI >80



220-10631915adusa  white L 24 7/8" • H 3" • 4520 lm  
 220-10631415adusa  white L 24 7/8" • H 3" • 4640 lm



220-10631918adusa  matte chrome L 24 7/8" • H 3" • 4520 lm  
 220-10631418adusa  matte chrome L 24 7/8" • H 3" • 4640 lm

### CADAN PD 36"

LED

SYS 97W • 120-277V AC • CRI >80



220-10901915adusa  white L 35 1/2" • H 4 1/2" • 10180 lm  
 220-10901415adusa  white L 35 1/2" • H 4 1/2" • 10440 lm



220-10901918adusa  matte chrome L 35 1/2" • H 4 1/2" • 10180 lm  
 220-10901418adusa  matte chrome L 35 1/2" • H 4 1/2" • 10440 lm

### CADAN PD 48"

LED

SYS 170W • 120-277V AC • CRI >80

220-101201915adusa  white L 47 1/4" • H 4 1/2" • 18100 lm  
 220-101201415adusa  white L 47 1/4" • H 4 1/2" • 18560 lm

220-101201918adusa  matte chrome L 47 1/4" • H 4 1/2" • 18100 lm  
 220-101201418adusa  matte chrome L 47 1/4" • H 4 1/2" • 18560 lm

PENDANT DIRECT



- Square LED surface mount luminaire
- Direct / indirect light 70/30 emission
- White or matte chrome finish
- Opal diffuser

- Cuadrado LED luminaria de montaje
- Emisión 70/30 de luz directa / indirecta
- Acabado blanco o plata mate
- Difusor blanco opal

- Carré LED surface mount luminaire
- Émission de 70/30 lumière directe / indirecte
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K

W4 = LED 4000K

IP20    



#### LED PERFORMANCE



**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty


### CADAN SDI 14"

LED

SYS 13W • 120-277V AC • CRI >80

220-08331915adusa  W3 white L 13" • H 3 1/8" • 1130 lm  
 220-08331415adusa  W4 white L 13" • H 3 1/8" • 1160 lm



220-08331918adusa  W3 matte chrome L 13" • H 3 1/8" • 1130 lm  
 220-08331418adusa  W4 matte chrome L 13" • H 3 1/8" • 1160 lm





### CADAN SDI 26"

LED

SYS 45W • 120-277V AC • CRI >80



220-08631915adusa  W3 white L 24 7/8" • H 3 1/8" • 4440 lm  
 220-08631415adusa  W4 white L 24 7/8" • H 3 1/8" • 4640 lm



220-08631918adusa  W3 matte chrome L 24 7/8" • H 3 1/8" • 4440 lm  
 220-08631418adusa  W4 matte chrome L 24 7/8" • H 3 1/8" • 4640 lm

### CADAN SDI 36"

LED

SYS 97W • 120-277V AC • CRI >80

220-08901915adusa  W3 white L 35 1/2" • H 4" • 10060 lm  
 220-08901415adusa  W4 white L 35 1/2" • H 4" • 10440 lm

220-08901918adusa  W3 matte chrome L 35 1/2" • H 4" • 10060 lm  
 220-08901418adusa  W4 matte chrome L 35 1/2" • H 4" • 10440 lm

SURFACE DIRECT / INDIRECT





- Square LED surface mount luminaire
- Direct light
- White or matte chrome finish
- Opal diffuser

- Cuadrado LED luminaria de montaje
- Iluminación directo
- Acabado blanco o plata mate
- Difusor blanco opal

- Carré LED surface mount luminaire
- Éclairage direct
- Vernissage à poudres en blanc ou gris mat
- Diffuseur opal

W3 = LED 3000K

W4 = LED 4000K

IP20    


#### LED PERFORMANCE


**LED:** Samsung  
**SDCM:** 3 MacAdam Ellipse  
**CCT:** 3000K or 4000K  
**CRI Ra:** >80, ±3.0  
**L70:** 50,000hrs  
**Warranty:** 5 year warranty


### CADAN SD 14"


LED


SYS 13W • 120-277V AC • CRI >80

220-07331915adusa  W3 white L 13" • H 3" • 1130 lm

220-07331415adusa  W4 white L 13" • H 3" • 1160 lm

220-07331918adusa  W3 matte chrome L 13" • H 3" • 1130 lm

220-07331418adusa  W4 matte chrome L 13" • H 3" • 1160 lm




### CADAN SD 26"


LED

SYS 45W • 120-277V AC • CRI >80

220-07631915adusa  W3 white L 24 7/8" • H 3" • 4440 lm

220-07631415adusa  W4 white L 24 7/8" • H 3" • 4640 lm

220-07631918adusa  W3 matte chrome L 24 7/8" • H 3" • 4440 lm


220-07631418adusa  W4 matte chrome L 24 7/8" • H 3" • 4640 lm


### CADAN SD 36"


LED

SYS 97W • 120-277V AC • CRI >80

220-07901915adusa  W3 white L 35 1/2" • H 4 1/2" • 10060 lm

220-07901415adusa  W4 white L 35 1/2" • H 4 1/2" • 10440 lm

220-07901918adusa  W3 matte chrome L 35 1/2" • H 4 1/2" • 10060 lm

220-07901418adusa  W4 matte chrome L 35 1/2" • H 4 1/2" • 10440 lm

SURFACE DIRECT



MOLTO LUCE

15774 GATEWAY CIRCLE

TUSTIN, CA 92780

P 714.259.9959

F 714.259.9969

[INFO@MOLTOLUCELIGHTING.COM](mailto:INFO@MOLTOLUCELIGHTING.COM)

**LEDRA**brands

**MOLTOLUCELIGHTING.COM**